

T064-GR05 SILVER (40 LB BXS)

1. PRODUCT AND COMPANY IDENTIFICATION**PRODUCT NAME:** T064-GR05 SILVER (40 LB BXS)**PRODUCT USE:** Industrial Powder Coating**MANUFACTURER**Cardinal Paint and Powder
1329 Potrero Ave
S. El Monte, CA, 91733
626 444-9274**24 HR. EMERGENCY TELEPHONE NUMBER****CHEMTREC (US Transportation):** (800)424-9300**CHEMTREC (International Transportation):** (202)483-7616**WEB:** WWW.CARDINALPAINT.COM**2. HAZARDS IDENTIFICATION****PICTOGRAMS :****SIGNAL WORD :** DANGER**HAZARD STATEMENTS :**

- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.
- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H318 Causes serious eye damage.
- H340 May cause genetic defects.

PRECAUTIONARY STATEMENTS :

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | Weight % | CAS Number |
|--------------------------------|----------|------------|
| 1,3,5-Triglycidyl Isocyanurate | 5% - 10% | 2451-62-9 |
| Aluminum | 1% - 5% | 7429-90-5 |

4. FIRST AID MEASURES**Description of first aid measures.****EYE CONTACT :** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.**SKIN CONTACT :** Remove affected clothing and wash all exposed area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Wash with plenty of soap and water. Get medical



advice/attention. Wash contaminated clothing before reuse. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

INGESTION : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a Poison Center or doctor/physician if you feel unwell

INHALATION : Allow Victim to breathe fresh air. Allow victim to rest. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Center or doctor/physician if you feel unwell

Most important symptoms and effect, both acute and delayed : Symptoms/Injuries: May cause genetic defects. Causes damage to organs. - After Inhalation: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause an allergic skin reaction. May cause cancer by inhalation. - After Eye Contact: Causes serious eye damage. - After Ingestion: Swallowing a small quantity of this material may result in serious health hazard. Indication of any immediate medical attention and special treatment needed: No additional information available.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Foam, alcohol foam, dry chemical, carbon dioxide, water fog or sand.

UNSUITABLE EXTINGUISHING MEDIA: Do not use heavy water stream.

FIRE FIGHTING PROCEDURE: Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment.

Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure modes.

UNUSUAL FIRE AND EXPLOSION HAZARD: This product is stable at normal handling and storage conditions.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES : General measures: Remove ignition sources. Use special care to avoid static electric charges. No smoking.

FOR NON-EMERGENCY PERSONNEL : For non-Emergency procedures: Evacuate unnecessary personnel.

FOR EMERGENCY RESPONDERS : Protective equipment : Equip cleanup crew with proper protection. - Emergency procedures : Ventilate area.

ENVIRONMENTAL PRECAUTIONS : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public water. Avoid release to the environment.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP : On land, sweep or shovel into suitable containers,. Minimize generation of dust.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when you are leaving work. Provide good ventilation in process area. Use only in well ventilated areas. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so. Avoid breathing dust, fumes and/or vapors.

Hygiene measures: Wash Skin thoroughly after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES : Avoid heat sources and direct sunlight. Store in a dry place. Protect from moisture. Keep container closed when not in use. Keep only in the original container in a cool well ventilated place away from heat, ignition sources and direct sunlight.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Source of ignition. Direct sunlight.

**8. EXPOSURE CONTROLS\PERSONAL PROTECTION**

| | | |
|---|-----------------------------|--|
| 1,3,5-Triglycidyl Isocyanurate(2451-62-9) | | |
| ACGIH TLV (Threshold Limit Value) | TWA (Time Weighted Average) | 0.05 mg/m ³ 8 hours |
| Aluminum(7429-90-5) | | |
| ACGIH TLV (Threshold Limit Value) | TWA (Time Weighted Average) | 1 mg/m ³ 8 hours |
| NIOSH REL (Recommended Exposure Limit) | TWA (Time Weighted Average) | 5 mg/m ³ (Respirable Fraction) 10 hours |
| OSHA PEL (Permissible Exposure Limit) | TWA (Time Weighted Average) | 5 mg/m ³ (Respirable Fraction) 8 hours |
| Ethylene Glycol(107-21-1) | | |
| ACGIH TLV (Threshold Limit Value) | ACGIH C (Ceiling) | 100 mg/m ³ |

PERSONAL PROTECTIVE EQUIPMENT**RESPIRATORY PROTECTION :** Wear approved dust mask.**HAND PROTECTION :** Wear protective gloves.**EYE PROTECTION :** Chemical goggles or safety glasses.**SKIN AND BODY PROTECTION :** Wear suitable protective clothing.**WORK HYGIENIC PRACTICES:** When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.**9. PHYSICAL AND CHEMICAL PROPERTIES**

| | | |
|----------------------------------|---|---------------------|
| Physical state | : | Solid |
| Melting point | : | 55 - 90 deg C |
| Flash point | : | No data available. |
| Lower explosion limit | : | 10 g/m ³ |
| Upper explosion limit | : | 70 g/m ³ |
| Density | : | 1.3036 |
| Solubility | : | No data available. |
| Autoignition temperature | : | No data available. |
| Decomposition temperature | : | No data available. |

10. STABILITY AND REACTIVITY**REACTIVITY :** This product is stable at normal handling and storage conditions.**CHEMICAL STABILITY :** Stable under normal conditions.**CONDITIONS TO AVOID :** Direct sunlight. Extremely high or low temperatures.**INCOMPATIBLE MATERIALS :** Avoid contact with strong oxidizing agents.**HAZARDOUS DECOMPOSITION PRODUCTS:** Fume. Carbon monoxide. Carbon dioxide.**11. TOXICOLOGICAL INFORMATION**

| | |
|---|---|
| 1,3,5-Triglycidyl Isocyanurate(2451-62-9) | |
| ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH |
| Acute toxicity - LC50 - inhalation - rat - male - 4 h | > 650 mg/m ³ |
| Acute toxicity - LD50 - Dermal - rat- male & female | > 2000 mg/kg |
| Acute toxicity - LD50 - oral - rat | 100 - 200 mg/kg |
| Additional information | To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated |
| Aspiration hazard | No data available |
| Eye irritation - rabbit | Severe eye irritation |
| Germ cell mutagenicity | In vivo tests showed mutagenic effects |



| | |
|--|---|
| Germ cell mutagenicity - AMES test - mouse - male | Positive |
| Germ cell mutagenicity - AMES test - S. typhimurium | Positive |
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC |
| NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA |
| Reproductive toxicity | No data available |
| Respiratory or skin sensation - Maximization test - guinea pig | May cause sensitization by skin contact |
| Skin irritation - rabbit | Mild skin irritation - 24 hours |
| Specific target organ toxicity - repeated exposure | No data available |
| Specific target organ toxicity - single exposure | No data available |
| Aluminum(7429-90-5) | |
| Acute toxicity - dermal - LD50 - rat | 2000 mg/kg |
| Acute toxicity - oral - LD50 - mouse | > 15000 mg/kg |
| Acute toxicity - oral - LD50 - rat | 5000 mg/kg |
| Aspiration hazard | Not an aspiration hazard |
| Carcinogenicity | Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by WHMIS criteria. |
| Chronic effects | Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by WHMIS criteria. |
| Eye irritation | Direct contact with eyes may cause temporary irritation. |
| Further information | This product has no known adverse effects on human health. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| IARC overall evaluation of carcinogenicity | 3 Not classifiable as to carcinogenicity to humans. |
| Likely route of exposure - skin contact | No adverse effects due to skin contact are expected. |
| Likely routes of exposure - eye contact | Direct eye contact with eyes may cause temporary irritation. |
| Likely routes of exposure - ingestion | Expected to be a low ingestion hazard. |
| Likely routes of exposure - inhalation | Not available |
| OSHA specifically regulated substances | Not listed. |
| Reproductive toxicity | Not expected to be hazardous by OSHA criteria. |
| Respiratory sensitization | Not a respiratory sensitizer. |
| Skin irritation | Not expected to be hazardous by OSHA criteria. |
| Skin sensitization | This product is not expected to cause skin sensitization. |
| Specific target organ toxicity - repeated exposure | Not classified |
| Specific target organ toxicity - single exposure | Not classified |
| Symptoms related to toxicological characteristics | Dusts may irritate the respiratory tract, skin and eyes. |
| Amorphous Silica(112926-00-8) | |
| ACGIH | no component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH |
| Acute toxicity | no data available |
| Acute toxicity: Dermal | no data available |
| Acute toxicity: Inhalation | no data available |
| Additional information | Amorphous silica is not classified as to its carcinogenicity to humans, however, crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (Group 1, IARC). Therefore, amorphous silica should be handled as if possessing the same hazards as the crystalline form. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. |
| Additional information | Stomach - irregularities - based on human evidence |
| Aspiration hazard | no data available |
| Carcinogenicity: IARC: Group 3: | not classifiable as to its carcinogenicity to humans |
| Eye irritation | no data available |
| Germ cell mutagenicity | no data available |



| | |
|--|--|
| NTP | no component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP |
| OSHA | no component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA |
| Reproductive toxicity | no data available |
| Respiratory or skin sensation | no data available |
| Skin irritation | no data available |
| Specific target organ toxicity - repeated exposure | no data available |
| Specific target organ toxicity - single exposure | no data available |
| Barium Sulfate(7727-43-7) | |
| ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH |
| Acute toxicity - Dermal | No data available |
| Acute toxicity - inhalation | No data available |
| Additional information | Prolonged inhalation of dust may cause baritosis, a benign pneumoconiosis. If ingested, the presence of soluble barium salts as impurities may cause toxic reactions due to bioaccumulation., Damage to the lungs., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. |
| Additional information | Stomach irregularities - based on human evidence |
| Aspiration hazard | No data available |
| Carcinogenicity - rat - intrapleural - tumorigenic | Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors |
| Eye irritation | No data available |
| Germ cell mutagenicity - mouse - micronucleus test | No reported data |
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC |
| NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA |
| Reproductive toxicity | No data available |
| Respiratory or skin sensation | No data available |
| Skin irritation | No data available |
| Specific target organ toxicity - repeated exposure | No data available |
| Specific target organ toxicity - single exposure | No data available |
| Ethylene Glycol(107-21-1) | |
| Additional Information | RTECS: KW2975000 When ingested early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage. Exposure to and/or consumption of alcohol may increase toxic effects. Central nervous system - Irregularities - Based on Human Evidence Central nervous system - Irregularities - Based on Human Evidence |
| Aspiration hazard | No data available. |
| Carcinogenicity | This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| Germ cell mutagenicity | No data available. |
| Inhalation | No data available. |
| LD50 Dermal - Rabbit | 10,626 mg/kg, Dermal - Rabbit |
| LD50 Oral - Rat - Acute toxicity | 4,700 mg/kg, Oral- Rat |



| | |
|--|--|
| Reproductive toxicity | Laboratory experiments have shown teratogenic effects. Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. |
| Respiratory or skin sensitization | No data available. |
| Serious eye damage/eye irritation | Eyes - Rabbit Result: Mild eye irritation - 24 h |
| Skin corrosion/irritation | Skin - Rabbit Result: No skin irritation |
| Specific target organ toxicity - repeated | Oral - May cause damage to organs through prolonged or repeated exposure. - Kidney |
| Specific target organ toxicity - single exposure | No data available. |

12. ECOLOGICAL INFORMATION

| | |
|---|---|
| 1,3,5-Triglycidyl Isocyanurate(2451-62-9) | |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Other adverse effects | An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects |
| PBT & vPvB | not available/not required |
| Persistence and degradability - biodegradability - aerobic - exposure time: 44 d | 0.5 - 1% - not biodegradable |
| Toxicity to algae - growth inhibition - EC50 - <i>Desmodesmus subspicatus</i> | 29 - 30 mg/l - 72 h |
| Toxicity to bacteria - Respiration inhibition - IC50 - Sludge Treatment | > 100 mg/l 3 h |
| Toxicity to daphnia and other aquatic invertebrates - Immobilization - EC50 - <i>daphnia magna</i> (water flea) | > 100 mg/l - 24 h |
| Toxicity to fish - static test LC50 - <i>danio rerio</i> (zebra fish) | > 77 mg/l - 96 h |
| Aluminum(7429-90-5) | |
| Aquatic toxicity - aluminum - LC50 - rainbow trout | 0.16 mg/L / 96 h |
| Aquatic toxicity - silicon dioxide - EC50 - <i>daphnia</i> | 7600 mg/L / 48 h |
| Aquatic toxicity - silicon dioxide - IC50 - algae | 440 mg/L / 72 h |
| Aquatic toxicity - silicon dioxide - LC50 - fish | 5000 mg/L / 96 h |
| Bioaccumulative potential | No data available |
| Ecotoxicity | Ecological injuries are not known or expected under normal use. |
| Mobility in soil | No data available |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |
| Persistence and degradability | No data is available on the degradability of this product. |
| Amorphous Silica(112926-00-8) | |
| Bioaccumulative potential | no data available |
| Mobility in soil | no data available |
| PBT and vPvB | not available/not required |
| Persistence and degradability | no data available |
| Toxicity | no data available |
| Barium Sulfate(7727-43-7) | |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| PBT and vPvB | not available/not required |
| Persistence and degradability | The methods for determining biodegradability are not applicable in inorganic substances |
| Toxicity | No data available |
| Ethylene Glycol(107-21-1) | |
| Bioaccumulative potential | Does not bioaccumulate. Bioaccumulation other fish - 61 d - 50 mg/l Bioconcentration factor (BCF): 0.60 |
| EC50 - <i>Daphnia magna</i> - | 24,000 mg/l - 48 h, <i>Daphnia magna</i> (Water flea) |



| | |
|--|--|
| EC50 - Daphnia magna - Toxicity to daphnia and other aquatic invertebrates | 74,000 mg/l - 24 h, Daphnia magna (Water flea) |
| LC50 - Daphnia magna - | 41,000 mg/l - 48 h, Daphnia magna (Water flea) |
| LC50 - Leuciscus idus | 10,000 mg/l - 48 h, Leuciscus idus (Golden orfe) |
| LC50 - Oncorhynchus mykiss - toxicity to fish | 18,500 mg/l - 96 h, Oncorhynchus mykiss (rainbow trout) |
| Mobility in soil | No data available. |
| NOEC - Pimephales promelas | 32,000 mg/l - 7d, Pimephales promelas (fathead minnow) |
| NOEC - Pimephales promelas | 39,140 mg/l - 96 h, Pimephales promelas (fathead minnow) |
| Other adverse effects | No data available. |
| Persistence and degradability | Ratio BOD/ThBOD 0.78 % 12.3 |
| Results of PBT and vPvB assessment | PBT/vPvB assessment not available as chemical safety assessment not required/not conducted |

13. DISPOSAL CONSIDERATIONS**WASTE TREATMENT METHODS****GENERAL INFORMATION :** No data available.**DISPOSAL METHOD:** Dispose of in accordance with Local, State, Regional, National and International Regulations.

Ecology - waste materials: Avoid release to the environment.

14. TRANSPORT INFORMATION***CHECK WITH YOUR CARRIER FOR ADDITIONAL RESTRICTIONS THAT MAY APPLY.****USDOT GROUND****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME (DOT) :** Not Regulated/Not Applicable**HAZARDS CLASS :** None**UN/NA NUMBER :** Not Applicable**PACKING GROUP :** None**EMERGENCY RESPONSE GUIDE (ERG) :** Not Applicable**IATA (AIR)****DOT (INTERNATIONAL AIR TRANSPORTATION ASSOCIATION)****PROPER SHIPPING NAME :** Not Regulated/Not Applicable**HAZARDS CLASS :** Not Applicable**UN/NA NUMBER :** Not Applicable**PACKING GROUP :** Not Applicable**EMERGENCY RESPONSE GUIDE (ERG) :** Not Applicable**IMDG (OCEAN)****PROPER SHIPPING NAME :** Not Regulated , Not Applicable**HAZARDS CLASS :** Not Applicable**UN/NA NUMBER :** Not Applicable**PACKING GROUP :** Not Applicable**EMERGENCY RESPONSE GUIDE (ERG) :** Not Applicable**MARINE POLLUTANT :** No**SPECIAL PRECAUTIONS :** P235 Keep cool.

**15. REGULATORY INFORMATION****US FEDERAL REGULATIONS**

All ingredients are TSCA (Toxic Substance Control Act) listed.

OSHA HAZARDS : Moderate skin irritant, Moderate eye irritant.

EPCRA - Emergency

CERCLA REPORTABLE QUANTITY

SARA 304 Extremely Hazardous Substances Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SARA 311/312 Hazards : Acute Health Hazard, Chronic Health Hazard.

| This product contains: | Chemical CAS# |
|--------------------------------|----------------------|
| 1,3,5-Triglycidyl Isocyanurate | 2451-62-9 |
| Aluminum | 7429-90-5 |

SARA 313 : This Product Contains Aluminum Powder (CAS 7429-90-5)

CLEAN AIR ACT :**INTERNATIONAL REGULATIONS****CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP) :**

| | | |
|-------------------|------|--|
| Eye Dam. 1 | H318 | Causes serious eye damage |
| Skin Sens. 1 | H317 | May cause an allergic skin reaction |
| Muta. 1B | H340 | May cause genetic defects |
| Carc. 2 | H351 | Suspected of causing cancer |
| STOT RE 1 | H372 | Causes damage to organs through prolonged or repeated exposure |
| Aquatic Chronic 3 | H412 | Harmful to aquatic life with long lasting effects |

NATIONAL REGULATIONS**National Regulations Key**

Indicates a chemical listed by IARC as a possible carcinogen.

STATE REGULATIONS**CALIFORNIA PROPOSITION 65****California Proposition 65 Key**

*This product contains (a) chemical (s) known to the State of California to cause cancer.

#This product contains (a) chemical (s) known to the State of California to be carcinogenic.

+This product contains (a) chemical (s) known to the State of California to cause birth defects or other reproductive harm.

Massachusetts Right to Know

| This product contains | Chemical CAS# |
|------------------------------|----------------------|
| Barium Sulfate | 7727-43-7 |
| Aluminum | 7429-90-5 |
| Ethylene Glycol | 107-21-1 |
| Amorphous Silica | 112926-00-8 |

**Pennsylvania Right to Know**

| This product contains | Chemical CAS# |
|------------------------------|----------------------|
| Barium Sulfate | 7727-43-7 |
| Aluminum | 7429-90-5 |
| Ethylene Glycol | 107-21-1 |
| Amorphous Silica | 112926-00-8 |

New Jersey Right to Know

| This product contains | Chemical CAS# |
|--------------------------------|----------------------|
| Barium Sulfate | 7727-43-7 |
| 1,3,5-Triglycidyl Isocyanurate | 2451-62-9 |
| Aluminum | 7429-90-5 |
| Ethylene Glycol | 107-21-1 |
| Amorphous Silica | 112926-00-8 |



16. OTHER INFORMATION

Other Product Information:

| | | | |
|------------------------|-------|------------------------|-------|
| % Volatile by Volume : | 0.03 | % Volatile by Weight : | 0.03 |
| % Solids by volume : | 99.97 | % Solids by Weight : | 99.97 |


VOC CONTENT:

Content tested per EPA METHOD 24, ASTM D2369 is less than 1% Wt/Wt.

HMIS RATING

| | |
|-----------------------|---|
| Health : | 2 |
| Flammability : | 1 |
| Reactivity : | 0 |
| Personal Protection : | E |

NFPA CODES



MANUFACTURER DISCLAIMER : The information contained in this Safety Data Sheet is considered to be true and accurate. Cardinal Paint and Powder makes no warranties, expressed or implied, as to the accuracy and adequacy of this information. This data is offered solely for the user's consideration, investigation and verification.